




# HELMUT LIST HALLE

Waagner-Biro-Straße 98a  
 8020 Graz  
 T +43 316 58 42 60  
[info@helmut-list-halle.com](mailto:info@helmut-list-halle.com)  
<https://www.helmut-list-halle.com/>



The Helmut List Halle is located in the new city district of Graz, in the Smart City.

The event management endeavours to make the visit pleasant for all guests. The hall used to be an old factory building of AVL List company. It was remodelled in 2003. Now there is a large concert hall with good acoustics and plenty of space. The Helmut List Hall has three parts: Foyer, hall and backstage area.

There are 6 barrier-free parking spaces in the car park. The barriers are open during events.

The hall is on one level and has no thresholds.

There is no tactile guidance system.

There are 2 barrier-free toilets.

The concert hall has flexible seating and enough space for wheelchairs.

There is a wheelchair that can be borrowed free of charge during an event.

On the other side of the car park is the new hall section D, called DETROIT. This area offers rooms for club evenings, cabaret and exhibitions.

The rooms are on two basement levels (-1, -2). They can be reached by lift.

There is a barrier-free toilet in the basement (-1).

The bar in the basement (-2) can be reached via a ramp.

## ACCESSIBILITY BY PUBLIC TRANSPORT

Please use the route planner of Verbundlinie Steiermark:  
<https://verkehrsankunft.verbundlinie.at/>

**GENERAL INFORMATION**

- There is a discount for people with disabilities, registered accompanying persons, children and young people
- Assistance dogs are welcome (preferably with registration)
- Audible alarm, **no visual alarm**
- Evacuation concept for people with disabilities available
- First-aid room available
- All areas can be viewed virtually on the List-Halle website (360 degree tour).

**INFORMATION FOR WHEELCHAIR USERS AND PEOPLE WITH MOBILITY IMPAIRMENTS**

**PARKING**

- 6 disabled parking spaces near the barrier-free entrance
- marked with a board with wheelchair signs (but without marking on the ground)
- At right angles to the carriageway, **not covered**
- Walkway from the car park accessible without steps
- on a level surface, floor covering suitable for wheelchairs (asphalt)
- Width at least 350 cm
- **No contrasting colour marking of the boundary on the ground**
- 2 parking spaces next to each other: **common exit area not marked**
- Barriers are open during events



Car park



Barrier-free access from parking

## **PATHS OUTSIDE AND ENTRANCE**

- Path without thresholds, at least 150 cm wide, suitable for wheelchairs
- Cross gradient max. 2%, longitudinal gradient max. 6%
- Path illuminated throughout, **not covered**
- Path free of obstacles
- The main entrance is also the barrier-free entrance.
- Entrance easy to find, covered, free of obstacles
- Stepless access from the side (from the car park), 3 steps from the front
- Door easy to open, **door closer**
- Double-leaf hinged door, clearance of the active leaf 83 cm
- no threshold, door handles at standard height (vertical handle bar, **no additional horizontal handle**)
- Vestibule: manoeuvring space in front of the door on both sides at least 150 x 150 cm
- Lateral approach area of at least 50 cm on both sides of the door next to the door handle
- Glass door, **not marked with sufficient contrast**
- **Door opening side not labelled**
- Dirt-trapping mat/grating suitable for wheelchairs



Entrance



Entrance

## **FOYER WITH CASH DESK, CLOAKROOM AND BAR**

- All accessible without thresholds
- Movement space of at least 150 x 150 cm available in front of cash desk, cloakroom and bar
- **No lowered space of max. 85 cm at the cash desk, not wheelchair accessible**
- Visual and voice contact between person in wheelchair and contact person possible
- credit card machine can be used at a height of 80 - 110 cm
- **No seating available**
- **Cloakroom: no under-desk wheelchair access**
- Cloakroom shelf height **higher than 85 cm**, wardrobe is accepted by staff
- **Bar counter 124 cm high** (standard max. 85 cm), **not wheelchair accessible**
- **Only high tables with bar stools available**



Foyer





Cloakroom



Cash desk



Bar



Path to the front seats

## PATHS INSIDE

- Paths at least 120 cm wide, level, free of obstacles
- At the end of the path and when changing direction, there is a manoeuvring space of at least 150 cm in diameter
- Passage widths of at least 90 cm
- Floor coverings are slip-resistant and firmly laid everywhere
- **There is no orientation or escape plan on site** (but a virtual tour on the website)
- It is easy to find your way around
- Signage is well lit, with sufficiently large lettering
- Barrier-free areas are labelled with symbols



Path to the front seats

**EVENT HALL**

- Wheelchair spaces are set up in the front area
- **No labelling of wheelchair spaces** (not possible due to flexible seating), employees help to find the spaces
- Wheelchair spaces on a horizontal, level surface
- at least 100 cm wide, at least 120 cm deep
- Aisle width of 120 cm available to access the wheelchair spaces
- Optimum, unobstructed view from these spaces
- Seat next to wheelchair space for eventual accompanying person
- Seats with extended legroom also available
- **Seats further back are not barrier-free due to the grandstand**
- 1 wheelchair is available to borrow free of charge



Access to event hall



Helmut-List-Halle

**BARRIER-FREE WCS**

- There is one barrier-free WC each in the ladies' and men's toilets.
- Movement area of 150 x 150 cm available in the WC room
- The **barrier-free ladies' toilet** was evaluated here as an example:

**Door to the WC facility**

- Swing door, has a closing device that prevents swinging through
- At least 90 cm clearance, no threshold, free of obstacles
- Easy to open, **door closer**
- frosted glass door, clearly visible (through labelling)
- On the opening side of the door, approach area of at least 200 x 150 cm, on the closing side at least 150 x 120 cm
- Lateral approach area of at least 50 cm on both sides of the door next to the door handle
- Door handle at standard height (vertical handle bar), **no additional horizontal handle**



## WC door

- Hinged door, min. 80 cm clearance, no threshold
- Easy to open, no door closer
- Door opens outwards and can be unlocked from the outside in an emergency
- Access area of at least 200 x 150 cm on the opening side of the door, at least 150 x 120 cm on the closing side
- On the opening side of the door next to the door handle, a side approach area of at least 50 cm, **not on the closing side**
- Door handles (no turning, knob or shell handle) at standard height (85 - 110 cm)

## WC

- WC accessible from the left, at least 90 cm space on this side for approaching
- (men's WC accessible from the right)
- **less than 120 cm space in front of the WC bowl for approaching**
- Distance from the front edge of the WC to the rear wall at least 65 cm
- WC 46 - 48 cm high, **no back support available**
- Horizontal grab rails on both sides, hinged on the approach side
- Folding support handle easy to operate and securely fastened
- Additional vertical grab rail
- **Clearance between the horizontal grab rails does not comply with the standard (65 - 70 cm)**
- Upper edge of the grab rails **not at a height of 75 - 85 cm**
- **Grab rails do not protrude at least 15 cm over the front edge of the WC**
- Folding support handle protrudes max. 20 cm into the room when folded up
- Paper can be reached from the WC when seated
- Flush at standard height, accessible from the WC when seated
- Emergency bell available, accessible from the WC when seated
- Also accessible from the floor at a maximum height of 35 cm above the floor

## Washbasin

- Movement space of at least 150 x 150 cm available in front of the washbasin
- Clear height under washbasin at least 70 cm, upper edge 80 - 85 cm high, standard depth
- under-washbasin wheelchair access at a width of 100 cm
- Flat plaster siphon, siphon made of plastic or protected with porcelain
- Single-lever tap, distance between tap and front edge of washbasin 20 - 35 cm

## Other

- Lower edge of mirror at a maximum height of 95 cm
- Operating level of fittings (paper dispenser, soap dispenser, etc.) at a height of 80 - 110 cm
- Waste bin can be operated with one hand



Barrier-free ladies' WC



Barrier-free men's WC (without description)

## DETROIT HALL/PART D

### ENTRANCE

- The Detroit Hall is located in the multi-storey car park behind the List Hall.
- **The main entrance is not the barrier-free entrance.** However, this is located right next to it.
- Entrance easy to find, covered, free of obstacles
- Door easy to open, **door closer**
- Hinged door, clear width at least 90 cm, with **threshold on one side (2 cm high)**
- Door handles at standard height
- Movement space in front of the door on both sides at least 150 x 150 cm
- Side approach area of at least 50 cm on both sides of the door next to the door handle
- Glass door, marked with sufficient contrast
- **Door opening side not labelled**
- Dirt-trapping mat/grating suitable for wheelchairs



Main entrance and barrier-free entrance Detroit Hall

## LIFT

### (to the event rooms in the basement)

- At least 150 x 150 cm manoeuvring space in front of entrance and exit
- Door clearance min. 90 cm, light barriers at max. 100 cm height
- Car size min. 110 x 140 cm
- No descending stairs in front of landing door
- Push buttons in the landings are located in the immediate vicinity of the lift door
- Emergency call and command buttons at standard height
- Position indicator in the lift car between 1.60 and 1.80 m above the floor
- Handrail available
- Mirror available, **but too high** (standard = 30 cm above the edge of the floor)

## STAIRS (to the event rooms in the basement)

- Can be bypassed via lift
- Steps straight, **17 cm high** (standard max. 16 cm), all steps the same height
- Steps at least 120 cm wide, at least 30 cm deep
- Handrails on both sides, at a height of 85 - 90 cm
- Continuous handrails, safe to grasp
- Handrails at both ends of the stairs extended by at least 30 cm
- Front edge of entrance and exit steps in contrasting colours



Lift Detroit-Hall



Staircase Detroit-Hall

## INTERIOR AREA

- Paths at least 120 cm wide, free of obstacles
- At the end of the path and when changing direction, there is a manoeuvring space of at least 150 cm in diameter
- Passage widths at least 90 cm
- Non-slip and firmly laid floor coverings everywhere
- Event rooms flexibly furnished, depending on the event
- Everything is level and without thresholds
- Barrier-free areas labelled with symbols
- **Cloakroom: no under-desk wheelchair access**
- Sufficiently dimensioned storage areas, **at a height of 125 cm** (standard max. 85 cm)
- Staff accept wardrobe





Event room Detroit Hall



Bar and ramp Detroit Hall

**RAMP TO THE BAR (BASEMENT -2)**

- Straight, at least 120 cm wide
- **Longitudinal gradient 10%** with a total length of max. 10 m
- Cross gradient max. 2%
- Movement area of at least 150 x 150 cm at the start and end of the ramp
- Handrail on both sides at a height of 85 - 90 cm, safe to grasp
- Handrails continue horizontally for at least 30 cm at the start and end of the ramp
- Wheel deflectors on both sides, non-slip ramp surface
- **Both ends of the ramp are not marked in a contrasting colour**

**BAR**

- **No lowered space of max. 85 cm high**
- **No under-counter wheelchair access**
- **Only high tables with bar stools**

**BARRIER-FREE WC (BASEMENT -1)**

- 1 separate WC (unisex)
- Movement area of 150 x 150 cm available in the WC room

**WC door**

- hinged door, min. 80 cm clearance, no threshold
- Easy to open, no door closer




Barrier-free WC Detroit-Hall

- Door opens outwards and can be unlocked from the outside in an emergency
- Access area of at least 200 x 150 cm on the opening side of the door, at least 150 x 120 cm on the closing side
- Lateral approach area of at least 50 cm on both sides of the door next to the door handle
- Door handle (no turning, knob or shell handle) at standard height (85 - 110 cm)

## WC

- WC accessible from the left, at least 90 cm space on this side for approaching
- At least 120 cm space in front of the WC bowl for approaching
- Distance from the front edge of the WC to the rear wall at least 65 cm
- WC 46 - 48 cm high, back support available
- Horizontal grab rails on both sides, can be folded up on the approach side
- Folding support handle easy to operate and securely fastened
- Additional vertical grab rail
- Clearance between the horizontal grab rails 65 - 70 cm
- Upper edge of the grab rails at a height of 75 - 85 cm
- Grab rails protrude at least 15 cm above the front edge of the WC
- Folding support handle protrudes max. 20 cm into the room when folded up
- Paper can be reached from the WC when seated
- Flush at standard height, accessible from a seated position in the WC
- Emergency bell available, emergency call leads to the touch panel Fire protection
- Emergency bell accessible from the toilet while seated, also accessible from the floor at a height of max. 35 cm above the floor



Barrier-free WC Detroit-Hall

## Washbasin

- Movement area in front of the washbasin **less than 150 x 150 cm**, but at least 120 x 120 cm
- Clear height under washbasin at least 70 cm, upper edge 80 - 85 cm high, depth standard
- under-washbasin wheelchair access at a width of 100 cm
- Flat plaster siphon, siphon made of plastic or protected with porcelain
- Single-lever tap, distance between tap and front edge of washbasin 20 - 35 cm

## Other

- Mirror hangs high, but is adjustable
- Operating level of fittings (paper dispenser, soap dispenser, etc.) at a height of 80 - 110 cm
- Waste bin can be operated with one hand



## INFORMATION FOR BLIND AND VISUALLY IMPAIRED PEOPLE

### PARKING

- 6 disabled parking spaces near the barrier-free entrance
- marked with a board with wheelchair signs (but without marking on the ground)
- at right angles to the carriageway, **not covered**
- **Barriers not secured to prevent blind people from walking under them** (but are always open during events)

### PATHS OUTSIDE AND ENTRANCE

- **No tactile floor guidance system**
- Access illuminated throughout, **not covered**
- Walkway boundaries are easily recognisable with a white cane
- Step and ramp intersections are marked and secured with high contrast
- Entrance easy to find, covered
- Door easy to open, **door closer**
- Glass door, **not marked with sufficient contrast**
- **Door opening side not labelled**
- **Door handles do not stand out in contrast to other components**

### FOYER WITH CASH DESK, CLOAKROOM AND BAR

- **Not tactilely detectable**
- Cash desk stands out in contrast to its surroundings
- Glare-free and illuminated according to the area of use
- **No tactile map of the surroundings available**
- Wardrobe is accepted by staff
- Bar with high tables and bar stools

### PATHS INSIDE

- Free of obstacles
- **No tactile guidance system**
- Passage heights of at least 210 cm
- **Floor coverings do not contrast visually with other components**
- Lighting is sufficient and corresponds to the area of use
- **There is no orientation or escape plan on spot** (but virtual tour on the website)
- Signage well illuminated, with sufficiently large lettering
- **Room labelling and markings are not tactile**
- **Information not based on the 2-senses principle (visual/tactile, visual/acoustic)**

## EVENT HALL

- **Access not tactile**
- Hall glare-free and evenly lit
- **No audible information during the performance** (announcements, intermission gong)

## BARRIER-FREE WCS

- There is one barrier-free WC in each of the ladies' and men's toilets.
- **No tactile floor guidelines to WCs**
- The **barrier-free ladies' toilet** was evaluated here as an example:

### Door to the WC facility

- made of frosted glass, clearly perceptible (through labelling)
- easy to open, **door closer**
- Swing door, but closing device prevents swinging through
- Free of obstacles

### WC doors

- hinged door, easy to open, no door closer
- Lever handle at standard height, **does not stand out in contrast to neighbouring components**
- WC door opens outwards, can be unlocked from the outside in an emergency

### WC

- Emergency bell available, accessible from the WC when seated
- Emergency bell accessible from the floor at a height of max. 35 cm above the floor
- Emergency bell has a visually contrasting design, **cannot be detected tactilely**
- Equipment items **do not stand out visually in contrast to the surroundings**

## DETROIT HALLE/PART D

### ENTRANCE

- The Detroit Hall is located in the multi-storey car park behind the List Hall.
- **The main entrance is not the barrier-free entrance.** However, this is located right next to it.
- Entrance easy to find, covered, free of obstacles
- **No tactile floor guidance system**
- Door easy to open, **door closer**
- Door handle stands out in contrast to neighbouring components
- Glass door, adequately marked
- **Door opening side not labelled**



### **LIFT (to the event rooms in the basement)**

- Labelling of operating buttons large enough, displays also easy to read
- **No tactile floor labelling**
- Push buttons in the stops are located in the immediate vicinity of the lift door
- Push buttons inside and outside with raised lettering, but not in Braille
- Push button for building exit highlighted
- Pressing the push buttons is audibly confirmed
- Audible signal when the lift arrives at the stop
- Audible, clear announcement in the lift
- Handrail available

### **STAIRS (to the event rooms in the basement)**

- Can be bypassed via lift
- Steps straight, **17 cm high** (standard max. 16 cm), all steps the same height
- At least 120 cm wide, at least 30 cm deep
- Handrails on both sides, at a height of 85 - 90 cm
- Continuous handrails, safe to grasp
- Handrails at both ends of the stairs extended by at least 30 cm
- **No tactile handrail information**
- leading and trailing edge of steps designed in contrasting colours

### **INTERIOR AREA**

- Free of obstacles
- **No tactile guidance system**
- Passage heights of at least 210 cm almost everywhere (**except for the lift on the ground floor towards the exit, where the stairs are inclined**)
- **there are projecting shelves on walls and supports that protrude more than 15 cm into the walking area**
- Floor coverings stand out visually in contrast to other components
- Lighting is sufficient and corresponds to the area of use
- Wardrobe is accepted by staff
- Event rooms flexibly furnished, depending on the event

### **RAMP TO THE BAR (BASEMENT -2)**

- Straight, longitudinal gradient 10%
- Handrail on both sides at a height of 85 - 90 cm, safe to grasp, continuous
- Handrails continue horizontally for at least 30 cm at the start and end of the ramp
- Non-slip surface of the ramp
- **Both ends of the ramp do not contrast in colour**
- **No contrasting covering change at the ramp**

## BARRIER-FREE WC (BASEMENT -1)

- 1 separate WC (unisex)
- **No tactile floor guidelines to WCs**

### WC door

- Hinged door, easy to open, no door closer
- Door handle at standard height, contrasts with neighbouring components
- WC door opens outwards, can be unlocked from the outside in an emergency

### WC

- Emergency bell available, emergency call leads to touch panel Fire protection
- Emergency bell can be reached from the WC while seated
- Emergency bell accessible from the floor at a height of max. 35 cm above the floor
- Emergency bell has a visually contrasting design, can be detected tactilely
- **Equipment items do not stand out visually in contrast to the surroundings**

## INFORMATION FOR HEARING IMPAIRED AND DEAF PEOPLE

- **No inductive hearing system at the cash desk**, but paper and pen available for communication
- Attention is paid to room acoustics in the auditorium
- **No induction system in the hall**
- **Sign language interpretation cannot be provided**
- Some performances with subtitles (depends on the event organiser)
- **No 2-senses information (visual/tactile, visual/acoustic)**
- Detroit Hall lift: pressing the buttons inside and outside is visibly confirmed, emergency call is also visibly confirmed

## INFORMATION FOR ALLERGY SUFFERERS

- No dust-prone carpets, curtains and upholstered furniture in all areas

As at December 2024. All information without guarantee.

Source: [http://www.bereit-fuer-barrierefreiheit.eu/de/Betriebe/?xt=CEDOSCheckResults&xtMethod=showDataset&cat\\_id=1613&tobj\\_id=3176](http://www.bereit-fuer-barrierefreiheit.eu/de/Betriebe/?xt=CEDOSCheckResults&xtMethod=showDataset&cat_id=1613&tobj_id=3176)

Photos: Graz Tourismus – Harry Schiffer, Helmut List Halle